



Beko HSM46740: Congelatore Orizzontale, Statico, 451 L, 155.2 cm

Marchio : Beko

Codice prodotto: 457500000014

Nome del prodotto : HSM46740: Congelatore Orizzontale, Statico, 451 L, 155.2 cm

451 L, 1555 x 675 x 860 mm, Bianco

Beko HSM46740: Congelatore Orizzontale, Statico, 451 L, 155.2 cm. Capacità netta congelatore: 451 L, Classe climatica: SN-T, Capacità di congelamento: 20,5 kg/24h, Autonomia senza energia elettrica: 24 h, Emissione acustica: 36 dB, Punteggio: 4*. Cerniera porta: In alto. Tipo di lampada: LED. Classe efficienza energetica: E, Consumo energetico annuo: 279 kWh. Colore del prodotto: Bianco



Design		Ergonomia	
Tipo di prodotto *	Congelatore a pozzo	Luce interna	✓
Posizionamento dell'apparecchio *	Libera installazione	Tipo di lampada	LED
Colore del manico	Bianco	Allarme porta aperta	✗
Maniglie da incasso	✓	Allarme di temperatura	✗
Cerniera porta	In alto	Chiusura	✓
Porte reversibili *	✗	Gestione energetica	
Colore del prodotto *	Bianco	Scala di efficienza energetica	Da A a G
Display incorporato *	✗	Classe efficienza energetica *	E
Numero di ripiani congelatore *	3	Consumo d'energia	0,688 kWh/24h
Mezzo refrigerante	R600a	Consumo energetico annuo *	279 kWh
Prestazione		Tensione di ingresso AC	220 - 240 V
Capacità netta congelatore *	451 L	Frequenza di ingresso AC	50 Hz
Capacità lorda congelatore	451 L	Corrente	1,1 A
Capacità di congelamento *	20,5 kg/24h	Indice di efficienza energetica (EEI)	100
Autonomia senza energia elettrica *	24 h	Dimensioni e peso	
Punteggio *	4*	Peso	51 kg
Sistema di raffreddamento	Statico	Larghezza *	1555 mm
Classe climatica *	SN-T	Profondità *	675 mm
Sistema No-frost *	✗	Altezza *	860 mm
Sbrinamento automatico (congelatore) *	✗	Dati su imballaggio	
Classe emissione rumore *	C	Larghezza imballo	1616 mm
Emissione acustica *	36 dB	Profondità imballo	742 mm
Funzione congelamento veloce *	✓	Altezza imballo	910 mm
Sistema di raffreddamento ventilato	✗	Peso dell'imballo	53,3 kg
Termostato	✗	Altre caratteristiche	
Intervallo temperatura di funzionamento	10 - 43 °C	Capacità netta totale	451 L
		Durata della garanzia	2 anno/i
		Caratteristiche	
		Minima temperatura di funzionamento	10 °C

Caratteristiche

Massima temperatura di funzionamento	43 °C
--------------------------------------	-------



8690842586354

Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity. Automated scraping, data mining, or harvesting for the purpose of training machine learning models, neural networks, or artificial intelligence systems is strictly prohibited without a commercial license.